

[Click to Start](#)

## World's 1st DIY STONE Benchtop

LITESTONE™ is the only lightweight stone product in the world you can pick up in store and install on the same day.

**LITESTONE™**

Multi purpose bench top can be used in all areas across your home.  
Kitchens, Bathrooms, Laundries, Shower Walls and Feature Walls.

**BUNNINGS  
TRADE**



LITESTONE™

About

Applications

Colours

Sizes

Installation

How to Order

## About LITESTONE™

LITESTONE™ 5 mm stone is made up of 93% naturally sourced quartz stone; one of nature's hardest minerals, contemporary palette of pigment designs and the highest quality polymer resin. Using advanced revolutionary techniques the 35 mm AFFROLEXX™ is compressed to the quartz stone, making this an extremely hard wearing practical and highly versatile bench top.

- **Easy to install** lightweight stone benchtops & Splashbacks
- **Low Cost** - Stone Bench tops for the price of laminate
- **DIY friendly** for home renovator, handyman & trades.
- **Same day install.**
- **World's 1st DIY STONE** Benchtop
- **Kitchens, Bathrooms, Laundries, Shower Walls and Feature Walls.**
- **LITESTONE™ is Proudly Australian**
- **75% lighter** than any solid stone
- **10 year Warranty**



BUNNINGS  
TRADE



**LITESTONE™**

About

Applications

Colours

Sizes

Installation

How to Order

## The colours of LITESTONE™

Please Note: there may be some colour variation between the image of the colour in this Suppliers Reference as compared to an actual sample. Final colour selection should always be made from the physical samples provided by LITESTONE™ to Bunnings.



PURE WHITE



WHITE MARBLE



WHITE



ANTHRACITE



CONCRETE GREY



DARK GREY



PURE BLACK



CALACATTA

**BUNNINGS  
TRADE**



## Available Sizes

### BENCH TOPS:

Length	Width	Thickness
2400 mm	600mm	40 mm
2400 mm	800 mm	40 mm
2400 mm	900 mm	40 mm
3000 mm	600 mm	40 mm
3000 mm	800 mm	40 mm
3000 mm	900 mm	40 mm

### VANITY TOPS:

Length	Width	Thickness
1200 mm	600mm	40 mm

### SPLASH BACKS:

Length	Width	Thickness
2400 mm	650mm	6 mm
2400 mm	900 mm	6 mm
3000 mm	650 mm	6 mm
3000 mm	900 mm	6 mm

### SIDE PANELS:

Length	Width	Thickness
950 mm	800mm	40 mm
950 mm	900 mm	40 mm

Stone thickness 6mm, Affrolexx 34mm.  
Spare edge is 6mm thick and is rebated to fit to stone benchtop.

**Warranty - 10 Years**



LITESTONE™

About

Applications

Colours

Sizes

Installation

How to Order

## Applications

LITESTONE™ multi purpose bench top can be used in all areas across your home.

**Kitchens, Bathrooms, Laundries, Shower Walls and Feature Walls.**



**BUNNINGS  
TRADE**



LITESTONE™

About

Applications

Colours

Sizes

Installation

How to Order

## Installation

### What tools are required?

Always cut outside to prevent dust.

Always wear Gloves, a protective mask when cutting and eye protection glasses.

- Drill with drill bit (diamond, use the same size as for tap hole)
- Circular Saw with Blade (diamond) to suit
- Pencil
- Masking tape (wide)
- Straight edge
- Wet & Dry Sandpaper with grits of 60, 120, 400, 800 (only required if to fix an edge)
- Stanley Knife (only if required to fix an edge, and a under mount sink)
- Blade (only required if fixing an edge)
- Silicon
- Small block of wood (for sanding, only required for fixing an edge)
- Board to use as a guide for drilling a hole
- Methylated Spirits and clean cloth (only if fixing an edge, or joining 2 panels together)
- Clamps 2 off



**BUNNINGS**  
**TRADE**





LITESTONE™

About

Applications

Colours

Sizes

Installation

How to Order

## How to Order

Download brochures below and take to Special Orders Desk at BUNNINGS warehouse to place an order.



**BUNNINGS**  
warehouse



**BUNNINGS**  
TRADE